

# Volvo FH500 Aero TC - Udlejes, Tractor unit



Poulsen Trucks & Trailers ApS  
Vrøndingvej 8A  
8700 Horsens

Sælger  
Frank Nissen  
frank@poulsentrucks.com  
+45 74 67 11 12  
+45 20 24 54 22

Basis		Chassis		Cab	
Type	Tractor unit	Wheelbase	3200	Cabtype	Globetrotter XL
Aksel	6x2	Axel pressure, front	9000	Aircondition	✓
Stand	Ny	Axel pressure, back	11500+7500	number of sleeper berths	2
Registration		Backaxel, single interchange	✓	Mirror camera	✓
Year	2026	Fifth Wheel		back camera	✓
Ref. no.	DLU 1032	Manufacture	Jost	Oil Heating	✓
Fabriksny	✓	Air sliding movable	✓	Sun roof	✓
Engine and transmission		Tyres		Refrigerator	✓
Engine	500HK Turbo Compound	1st Axle Tyres size	385/55R22,5	Leather seat	✓
HP	500	2nd Axle Tyre Size	315/70R22,5	Spoiler	✓
Gear box	I-Shift	3rd Axle Tyre Size	315/60R22,5	Cabine heater	✓
EURO type	6	Percent return	100	ACC Distance Radar	✓
number of tank	2	Suspension		Number of seats	2
Litre of tank	405+365	Front, air	✓	Air conditioning	✓
Transmission of power	✓	back, air	✓	Cruise pilot	✓
Ad-blue	✓	Chassis		Electric windows	✓
Registration		Wheelbase	3200	Electric mirrors	✓
Year	2026	Axel pressure, front	9000	Automatic emergency brake	✓
Ref. no.	DLU 1032	Axel pressure, back	11500+7500	Lane Assist	✓
Fabriksny	✓	Backaxel, single interchange	✓	Radio	✓
Engine and transmission		Fifth Wheel		Bluetooth	✓
Engine	500HK Turbo Compound	Manufacture	Jost	Digital Tacho	✓
HP	500	Air sliding movable	✓	Air suspension on Cab	✓
Gear box	I-Shift	Tyres		Multifunction steering wheel	✓
EURO type	6	1st Axle Tyres size	385/55R22,5	Rain Sensor	✓
number of tank	2	2nd Axle Tyre Size	315/70R22,5	Load indicator	✓
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			
Registration		Wheelbase	3200		
Year	2026	Axel pressure, front	9000		
Ref. no.	DLU 1032	Axel pressure, back	11500+7500		
Fabriksny	✓	Backaxel, single interchange	✓		
Engine and transmission		Fifth Wheel			
Engine	500HK Turbo Compound	Manufacture	Jost		
HP	500	Air sliding movable	✓		
Gear box	I-Shift	Tyres			
EURO type	6	1st Axle Tyres size	385/55R22,5		
number of tank	2	2nd Axle Tyre Size	315/70R22,5		
Litre of tank	405+365	3rd Axle Tyre Size	315/60R22,5		
Transmission of power	✓	Percent return	100		
Ad-blue	✓	Suspension			









